

High Performance Digital Portion Control Scales

Save money on high cost foods with digital portioning.

- Dishwasher safe removable stainless steel platform
- Reads in fractions, decimals and grams
- Temperature compensated load cell for use in refrigerated prep rooms
- 250 lb overload protection provides ultimate durability
- Sealed chassis resists airborne contamination
- Includes AC adapter; 50 hour rechargeable battery or 9V battery (not included)
- Easy to read 1/2" LCD display



FS12

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|------|--|---------------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| FS2P | High Performance Digital Portion Control Scale | 0.1 oz, 1/4 oz, 1 g | 2 lb | 18 lb | 1000 g | 8.2 kg | 3 | 358.00 |
| FS6 | High Performance Digital Portion Control Scale | 0.1 oz, 1/4 oz, 2 g | 6 lb | 18 lb | 2700 g | 8.2 kg | 3 | 368.00 |
| FS12 | High Performance Digital Portion Control Scale | 0.1 oz, 1/4 oz, 2 g | 12 lb | 18 lb | 6000 g | 8.2 kg | 3 | 378.00 |

Compact Digital Portion Control Scale

Portion control for limited space operations.

- Dishwasher safe removable stainless steel platform
- Reads in fractions, decimals, and grams
- Coated components protect against condensation and dust
- 10 lb overload protection
- FS2 includes AC adapter; 17 hour rechargeable battery or 9V battery (not included)
- Easy to read 1/2" LCD display



FS2

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|------|---------------------------------------|---------------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| FS2 | Compact Digital Portion Control Scale | 0.1 oz, 1/4 oz, 1 g | 2 lb | 11 lb | 1000 g | 5 kg | 4 | 173.00 |
| FS32 | Compact Digital Portion Control Scale | 0.1 oz, 1/4 oz, 1 g | 2 lb | 9 lb | 1000 g | 4 kg | 4 | 119.00 |

Digital Ingredient Portion Control Scale

Reduce cross-contamination with remote tare.

- Compact design with wall mount display saves space and provides proper ergonomics
- Remote tare switch provides hands-free operation
- Adjustable feet compensate for non-level surface area
- Removable stainless steel platform is dishwasher safe
- AC adapter included



PS10FPX

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|---|-------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| PS10FPX | Digital Ingredient Scale with Remote Tare | 0.1 oz, 2 g | 10 lb | 25 lb | 4.5 kg | 11.3 kg | 1 | 630.00 |

Compact Portion Control Scale

- Compact, space-saving size
- Stainless steel platform for sanitary contact surface
- Durable ABS plastic chassis
- Fixed dial with zero adjust knob



K16SS



K32CUP



KF16SS

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|--|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| K16SS | Compact Portion Control Scale | 1/4 oz | 16 oz | 8 lb | N/A | 3.6 kg | 6 | 49.00 |
| K32 | Over-run Scale with 1 pt Measuring Cup | 1/4 oz | 32 oz | 10 lb | N/A | 4.5 kg | 6 | 50.00 |
| K32CUP | 1 pint/16oz/2cup measuring cup for K32 | N/A | 16 oz | N/A | N/A | N/A | 1 | 12.00 |
| KF16SS | Contoured Platform Compact Scale | 1/4 oz | 16 oz | 10 lb | N/A | 4.5 kg | 6 | 50.00 |

Mechanical Portion Control Scales **New!**

600 SERIES DISHWASHER SAFE MECHANICAL PORTION CONTROL SCALE

- Stainless steel scales are 100% dishwasher safe
- QuickStop™ indicator stops needle immediately on weight
- Easy to disassemble, no tools required and no loose parts
- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-ready shatter resistant lens
- 6" x 5¼" Platform serves as built in handle
- Rotating dial simplifies multiple ingredient weighings



632SRW



| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|---|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 632SRWQ | Mechanical Portion Control Scale w/Quick Stop | ¼ oz | 32 oz | 30 lb | N/A | 13.6 kg | 6 | 174.00 |
| 632SRW | Mechanical Portion Control Scale | ¼ oz | 32 oz | 30 lb | N/A | 13.6 kg | 6 | 120.00 |
| 605SRWQ | Mechanical Portion Control Scale w/Quick Stop | ½ oz | 5 lb | 30 lb | N/A | 13.6 kg | 6 | 174.00 |
| 605SRW | Mechanical Portion Control Scale | ½ oz | 5 lb | 30 lb | N/A | 13.6 kg | 6 | 120.00 |
| 625SRW | Mechanical Portion Control Scale | 2 oz | 25 lb | 30 lb | N/A | 13.6 kg | 6 | 139.50 |

800 SERIES WASHABLE MECHANICAL PORTION CONTROL SCALE

- Stainless steel scales are 100% dishwasher safe
- QuickStop™ indicator stops needle immediately on weight
- Easy to disassemble, no tools required and no loose parts
- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-ready shatter resistant lens
- 9" x 9" Platform serves as built in handle
- Rotating dial simplifies multiple ingredient weighings

New!



805W



840BW



| No. | Description | Increments | Rotating Dial | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|---|------------|---------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 832SRWQ | Dishwasher Safe Washable Mechanical Portion Control Scale w/ Quick Stop | ¼ oz | Yes | 32 oz | 42 lb | N/A | 19 kg | 4 | 295.00 |
| 832SRW | Dishwasher Safe Washable Mechanical Portion Control Scale | ¼ oz | Yes | 32 oz | 42 lb | N/A | 19 kg | 4 | 256.00 |
| 832RWQ | Washable Mechanical Portion Control Scale w/ Quick Stop | ¼ oz | Yes | 32 oz | 42 lb | N/A | 19 kg | 4 | 220.00 |
| 832WQ | Washable Mechanical Portion Control Scale w/ Quick Stop | ¼ oz | Yes | 32 oz | 42 lb | N/A | 19 kg | 4 | 180.00 |
| 832RW | Washable Mechanical Portion Control Scale | ¼ oz | Yes | 32 oz | 42 lb | N/A | 19 kg | 4 | 193.00 |
| 832BW | Washable Mechanical Portion Control Scale | ¼ oz, 2 g | | 32 oz | 42 lb | 900g | 19 kg | 4 | 136.00 |
| 832W | Washable Mechanical Portion Control Scale | ¼ oz | | 32 oz | 42 lb | N/A | 19 kg | 4 | 136.00 |
| 805SRWQ | Dishwasher Safe Washable Mechanical Portion Control Scale w/ Quick Stop | ½ oz | Yes | 5 lb | 42 lb | N/A | 19 kg | 4 | 299.00 |
| 805RWQ | Washable Mechanical Portion Control Scale w/ Quick Stop | ½ oz | Yes | 5 lb | 42 lb | N/A | 19 kg | 4 | 225.00 |
| 805W | Washable Mechanical Portion Control Scale | ½ oz | | 5 lb | 42 lb | N/A | 19 kg | 4 | 138.50 |
| 810BW | Washable Mechanical Portion Control Scale | 1 oz, 25 g | | 10 lb | 42 lb | 4.5 kg | 19 kg | 4 | 140.50 |
| 810W | Washable Mechanical Portion Control Scale | 1 oz | | 10 lb | 42 lb | N/A | 19 kg | 4 | 140.50 |
| 820SW | Dishwasher Safe Washable Mechanical Portion Control Scale | 1 oz | | 20 lb | 42 lb | N/A | 19 kg | 4 | 227.00 |
| 820BW | Washable Mechanical Portion Control Scale | 1 Oz, 25 g | | 20 lb | 42 lb | 9 kg | 19 kg | 4 | 142.50 |
| 820W | Washable Mechanical Portion Control Scale | 1 oz | | 20 lb | 42 lb | N/A | 19 kg | 4 | 142.50 |
| 840SW | Dishwasher Safe Washable Mechanical Portion Control Scale | 2 oz | | 40 lb | 42 lb | N/A | 19 kg | 4 | 235.00 |
| 840BW | Washable Mechanical Portion Control Scale | 2 oz, 50 g | | 40 lb | 42 lb | 18 kg | 19 kg | 4 | 145.00 |
| 840W | Washable Mechanical Portion Control Scale | 2 oz | | 40 lb | 42 lb | N/A | 19 kg | 4 | 145.00 |

Bakers Beam Scales

- Seamless one piece stainless steel scoop (included)
- Precision weights included for maximum accuracy
- Chrome plated steel platform
- Adjustable stainless steel counter weight (included) for precise tare of scoop



BD16SC

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|--|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| BD16SC | Baker's Beam Scale | ¼ oz | 16 lb | 39 lbs | N/A | 17.7 kg | 1 | 498.00 |
| BD8SC | Baker's Beam Scale | ¼ oz | 8 lb | 31 lbs | N/A | 14.1 kg | 1 | 468.00 |
| BW1 | 1 lb weight for Baker's Scale | 1 lb | 1 lb | 2 lbs | N/A | .9 kg | 1 | 36.00 |
| BW2 | 2 lb weight for Baker's Scale | 2 lb | 2 lb | 3 lbs | N/A | 1.4 kg | 1 | 42.00 |
| BW4 | 4 lb weight for Baker's Scale | 4 lb | 4 lb | 5 lbs | N/A | 2.3 kg | 1 | 48.00 |
| BC1 | Adjustable Counterweight (for use with B168S) | N/A | N/A | 3 lbs | N/A | 1.4 kg | 1 | 50.40 |
| B168S | Baker's Scale Stainless Steel Scoop (20 lb capacity) | N/A | 20 lbs | 6 lbs | N/A | 2.7 kg | 1 | 132.00 |
| B168P | Baker's Scale Plastic Scoop (20 lbs) | N/A | 20 lbs | 2 lbs | N/A | .9 kg | 1 | 76.00 |

Y-Line Mechanical Portion Control Scales

- Stainless steel platform and stanchion serve as built-in handle
- Extra-thick anodized aluminum chassis for extreme durability
- Tempered spring for accuracy in refrigerated prep rooms
- Color-coded lens provides "at-a-glance" scale capacity identification

Y16R



Y200R



ROTATING DIAL

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|---|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| Y16R | Mechanical Portion Control Scale | ¼ oz | 16 oz | 23 lb | N/A | 10.4 kg | 6 | 85.60 |
| Y32R | Mechanical Portion Control Scale | ¼ oz | 32 oz | 23 lb | N/A | 10.4 kg | 6 | 87.00 |
| Y50G | Mechanical Portion Control Scale | 2 oz | 50 lb | 23 lb | N/A | 10.4 kg | 6 | 76.60 |
| YG1000R | Mechanical Portion Control Scale - Metric | 5 g | N/A | 23 lb | 1000 g | 10.4 kg | 6 | 87.00 |
| YG180R | Mechanical Portion Control Scale | ½ oz | 5 lb | 23 lb | N/A | 10.4 kg | 6 | 89.00 |
| YG425R | Mechanical Portion Control Scale | 2 oz | 25 lb | 23 lb | N/A | 10.4 kg | 6 | 90.00 |
| YG450R | Mechanical Portion Control Scale | 4 oz | 50 lb | 23 lb | N/A | 10.4 kg | 6 | 91.00 |
| YG500R | Mechanical Portion Control Scale - Metric | 2 g | N/A | 23 lb | 500 g | 10.4 kg | 6 | 85.60 |

FIXED DIAL

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|----------------------------------|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| Y200R | Mechanical Portion Control Scale | ¼ oz | 32 oz | 23 lb | N/A | 10.4 kg | 6 | 73.60 |
| YG400R | Mechanical Portion Control Scale | 2 oz | 25 lb | 23 lb | N/A | 10.4 kg | 6 | 77.60 |
| YG800R | Mechanical Portion Control Scale | 4 oz | 50 lb | 23 lb | N/A | 10.4 kg | 6 | 78.60 |

DUAL READ ROTATING DIAL

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|-------|--|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| A012R | Mechanical Portion Control Scale - Dual Read | 2 oz, 50 g | 25 lb | 23 lb | 10 kg | 10.4 kg | 6 | 90.00 |
| A12R | Mechanical Portion Control Scale - Dual Read | ¼ oz, 5 g | 32 oz | 23 lb | 900 g | 10.4 kg | 6 | 87.00 |
| A22R | Mechanical Portion Control Scale - Dual Read | ½ oz, 10 g | 5 lb | 23 lb | 2 kg | 10.4 kg | 6 | 89.00 |

Digital Hanging Scales

Weighing made simple for sporting, agricultural, or industrial needs.

- ½" LCD display
- Tare feature removes weight of container and allows for multiple weighings
- Memory settings will record up to 4 weighings
- Hold button locks in weight of item being weighed
- Heavy-duty steel hooks will not break or bend

7750



| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|----------------|-----------------------|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 007750-000-000 | Digital Hanging Scale | 1 oz, 20 g | 50 lb | 6 lb | 22 kg | 2.72 | 4 | 110.00 |
| 007710-000-000 | Digital Hanging Scale | 2 oz, 5 g | 100 lb | 6 lb | 45 kg | 2.72 | 4 | 140.00 |

Mechanical Hanging Scales

Heavy-duty steel construction for multi-purpose weighing.

- Adjustable tare pointer for removing weight of container
- Heavy-duty steel hooks will not break or bend
- Optional hanging adapter for use on doors and beams
- Basket and chain available separately (007908)

7842



7895



7820



7908



| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|----------------|---|--------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 007842-000-000 | Dial Hanging Scale with Tare | 1 oz, 25 g | 20 lb | 13 lb | 9 kg | 5.9 kg | 4 | 51.00 |
| 007800-000-000 | Dial Hanging Scale | ¼ lb, 50 g | 70 lb | 14 lb | 31 kg | 6.4 kg | 4 | 53.00 |
| D70 | Dial Hanging Scale with Clockwise and Counterclockwise Dial | 0.2 lb, ¼ lb | 70 lb | 20 lb | | 9.1 kg | 6 | 80.00 |
| 007810-000-000 | Hanging Scale | 1 lb, 0.5 kg | 110 lb | 18 lb | 50 kg | 8.2 kg | 4 | 50.00 |
| 007820-000-000 | Hanging Scale | 2 lb, 1 kg | 220 lb | 21 lb | 100 kg | 9.5 kg | 4 | 55.00 |
| 007830-000-000 | Hanging Scale | 5 lb, 2 kg | 330 lb | 22 lb | 150 kg | 10 kg | 4 | 60.00 |
| 007826-000-000 | Hanging Scale | 1 lb, 250 g | 26 lb | 4 lb | 12 kg | 1.8 kg | 12 | 10.00 |
| 007895-000-000 | Compact Hanging Scale | 1 lb, 0.5 kg | 50 lb | 6 lb | 22.5 kg | 2.7 kg | 4 | 35.00 |
| 007908-000-000 | Galvanized Steel Scoop | N/A | N/A | 7 lb | N/A | 3.2 kg | 1 | 25.00 |

Digital Receiving/Utility Scales

Proper inventory control begins at the receiving door.

4010/4040 DIGITAL RECEIVING SCALES

- Rugged 18 gauge scale designed to handle heavy packages and containers
- Remote 1/2" LCD wall mount display saves counter space and provides eye-level readout (9' cord reach) for employee safe receiving
- Tare feature removes weight of container
- Low profile platform and non-skid feet allow for easy weighing



4010 / 4040

STRAIGHT WEIGHT SCALES

- Durable straight weight scales
- Hold feature



SP5



PE20

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|------|-------------------------------|----------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 4010 | Digital Receiving Scale | 0.2 lb, 0.1 kg | 150 lb | 22 lb | 68 kg | 10 kg | 2 | 188.00 |
| 4040 | Digital Receiving Scale | 0.5 lb, 0.2 kg | 400 lb | 22 lb | 180 kg | 10. kg | 2 | 220.00 |
| SP5 | Digital Straight Weight Scale | 0.1 oz, 1 g | 5 lb | 4 lb | 2.2 kg | 1.8 kg | 2 | 58.00 |
| PE10 | Digital Straight Weight Scale | 0.2 oz, 5 g | 10 lb | 4 lb | 5000 g | 1.8 kg | 2 | 95.00 |
| PE20 | Digital Straight Weight Scale | 0.1 oz, 5 g | 20 lb | 5 lb | 10 kg | 2.3 kg | 2 | 120.00 |

Briefcase/Utility Mechanical Receiving Scales

Low profile receiving scale for foodservice, industrial, or office environments.

- Multi-ribbed platform is sturdy enough for bulky crates or heavy cartons
- Memory Lock™ feature locks in weight when dial is secure
- Low platform design allows for cartons to easily slide onto scale, improving employee safety
- Protected zero adjust knob for precise zero reset
- Non-skid feet ensure weighing stability



P250S

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|---|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| P100S | "Briefcase" Receiving Scale | 1 lb | 100 lb | 20 lb | N/A | 9.1 kg | 2 | 122.00 |
| P114S | "Briefcase" Receiving Scale Metric | 0.5 kg | N/A | 20 lb | 114 kg | 9.1 kg | 2 | 131.00 |
| P250S | "Briefcase" Receiving Scale | 1 lb | 250 lb | 20 lb | N/A | 9.1 kg | 2 | 131.00 |
| P250SS | Stainless Steel "Briefcase" Receiving Scale | 1 lb | 250 lb | 20 lb | N/A | 9.1 kg | 2 | 141.00 |

Platform Receiving Scales

Heavy-duty platform scale for table top weighing.

- Temperature compensated for use in refrigerated prep rooms and throughout the flow of food
- 30° angled easy-to-read shatter resistant lens
- Heavy-duty steel construction
- Zero adjust knob for precise zero reset



10100S

PLATFORM RECEIVING SCALE: STAINLESS STEEL WITH FIXED DIAL

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|----------------------------|------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 10100S | Heavy Duty Receiving Scale | 4 oz | 100 lb | 52 lb | N/A | 23.6 kg | 2 | 542.00 |
| 10200S | Heavy Duty Receiving Scale | 8 oz | 200 lb | 59 lb | N/A | 26.8 kg | 2 | 550.00 |

PLATFORM RECEIVING SCALE: STEEL WITH BAKED ENAMEL FINISH AND FIXED DIAL

| No. | Description | Increments | U.S. Capacity | U.S. Ship Wt/Ctn | Metric Capacity | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|--|-------------|---------------|------------------|-----------------|--------------------|------|-----------------------|
| 10100 | Heavy Duty Receiving Scale | 4 oz | 100 lb | 52 lb | N/A | 23.6 kg | 2 | 257.00 |
| 10200 | Heavy Duty Receiving Scale | 8 oz | 200 lb | 59 lb | N/A | 26.8 kg | 2 | 340.00 |
| 1060 | Heavy Duty Receiving Scale | 4 oz | 60 lb | 52 lb | N/A | 23.6 kg | 2 | 229.00 |
| 10B60 | Heavy Duty Receiving Scale - Dual Read | 4 oz, 100 g | 60 lb | 52 lb | 27 kg | 23.6 kg | 2 | 229.00 |
| 10B100 | Heavy Duty Receiving Scale - Dual Read | 4 oz, 100 g | 100 lb | 52 lb | 45 kg | 23.6 kg | 2 | 257.00 |
| 10B200 | Heavy Duty Receiving Scale - Dual Read | 8 oz, 250 g | 200 lb | 59 lb | 90 kg | 26.8 kg | 2 | 340.00 |

TEMPERATURE MONITORING IS A CRITICAL PRACTICE TO ENSURE PROPER FOOD SAFETY.

Thermocouples are widely used in the foodservice industry for their ability to provide quick and precise temperature measurements. Thermocouples have built-in microprocessors that provide reads within 1/10th of a degree. Response time of a thermocouple can be 3–4 times faster than a mechanical pocket thermometer and 2–3 times faster than a standard digital thermistor thermometer. Everyone from health inspectors to chefs uses thermocouples due to their ability to measure a wide range of temperatures quickly and accurately to ensure proper food safety.



Thermocouples provide fast and accurate temperature solutions for any foodservice operation.

Thermocouples **New!** Essential tool for any HACCP plan.



TMP800

- Super fast 3 second temperature response
- Open to turn on, close to turn off—easy to use, no buttons
- Microtip thermocouple folding probe perfect for thin sliced deli meats and delicate foods
- NSF approved



TMP800

TMP2000, TMP4000

- Min/Max/Hold modes
- Probe included with built-in storage and protection
- Dual read Fahrenheit and Celsius
- IP54 rating for dust and moisture
- 8:1 IR Ratio (TMP4000)
- Auto Off, Low Battery
- 9V battery and custom travel pouch included
- NSF approved



TMP2000



TMP4000



TYPE K THERMOCOUPLE PROBES

Temperature monitoring evolved.

- Manufactured and tested 4x greater than standard ANSI specifications
- Super fast 2–3 second temperature readings
- Interchanges with TMP4000 and TMP2000

THOP



THBP



THMP



| No. | Description | Temperature Range | Degree Increments | Stem Length | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|-------------------------------------|---|-------------------|----------------|------------------|--------------------|------|-----------------------|
| TMP800 | Microtip Thermocouple | -58-572F | 0.1F | 4½" | 3.3 lb | 1.5 kg | 1 | 215.00 |
| TMP2000 | Thermocouple | -50-450F, -40-230C | 0.1F, 0.1C | 4¾" | 3.5 lb | 1.6 kg | 1 | 225.00 |
| TMP4000 | Thermocouple/IR Combo | Probe: -40-450F, -40-230C Infrared: -40-600F, -40-300C | 0.1F, 0.1C | 4¾" | 3.5 lb | 1.6 kg | 1 | 245.00 |
| THOP | Type K Thermocouple- Oven Probe | -58-482F, 50-250C | 0-100C, ± 5C | 2" | 12.8 lb | 5.8 kg | 1 | 106.00 |
| THBP | Type K Thermocouple- Burger Probe | -58-482F, 50-250C | 0-100C, ± 5C | ¼" (8½" probe) | 12.8 lb | 5.8 kg | 1 | 140.00 |
| THMP | Type K Thermocouple- Microtip Probe | -58-482F, 50-250C | 0-100C, ± 5C | 4½" | 12.8 lb | 5.8 kg | 1 | 106.00 |

Infrared Thermometer **New!**

Fast, reliable surface temperature measurement.

- 6:1 ratio
- Ergonomic, palm sized design with trigger button on side
- Min/Max modes
- Dual read Fahrenheit and Celsius



TMP500

| No. | Description | Temperature Range | Degree Increments | Stem Length | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|--------|-----------------------------|--------------------|-------------------|--------------|------------------|--------------------|------|-----------------------|
| TMP500 | Pocket Infrared Thermometer | -67-482F, -55-250C | 0.1F, 0.1C | 6:1 IR Ratio | 2.6 lb | 1.2 kg | 12 | 86.00 |

Digital Thermometers **New!**

The first defense against foodborne illness.

TMP1000

- Dishwasher safe for easy clean-up, monitoring and ware washing machine temperatures
- Easy user calibration
- Min/Max/Hold modes
- Dual read Fahrenheit and Celsius
- NSF approved

THTC392

- Multi-function display shows current temperature, pre-set temperature, and timer or clock
- 24-hour timer with count-up feature after alarm
- Dual read Fahrenheit and Celsius
- 3' Teflon cord with stainless probe to leave in oven and monitor temperature during cook cycle

THP302L

- Large 3/8" LCD display
- Dual read Fahrenheit and Celsius
- Hold Button
- NSF approved



TMP1000



THP302L

| No. | Description | Temperature Range | Degree Increments | Stem Length | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|--|--------------------|-------------------|-------------|------------------|--------------------|------|-----------------------|
| THP302L | Digital Pocket | -58-302F | 1F | 4 7/8" | 2. lb | 0.9 kg | 12 | 23.80 |
| THTC392 | Digital Food Monitoring Thermometer w/ Timer | 32-392F, 0-200C | 1F, 1C | 8" | 4.8 lb | 2.2 kg | 6 | 46.80 |
| TMP1000 | Dishwasher Safe Digital Pocket | -40-450F, -58-230C | 0.1F, 0.1C | 5" | 2.1 lb | 1 kg | 12 | 32.00 |

Dial Pocket Thermometers

- Dishwasher safe design
- Built-in sheath calibration tool
- Shatter resistant lens
- Stainless steel construction



THP220DS

| No. | Description | Temperature Range | Degree Increments | Stem Length | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|-------------|--|-------------------|-------------------|-------------|------------------|--------------------|------|-----------------------|
| THP160DS | Dishwasher Safe Pocket Thermometer | -40-160F | 2F | 5" | 0.9 lb | 0.4 kg | 12 | 9.00 |
| THP220C | Pocket Thermometer | 0-220F | 2F | 5" | 0.9 lb | 0.4 kg | 12 | 5.40 |
| THP220DS | Dishwasher Safe Pocket Thermometer | 0-220F | 2F | 5" | 0.9 lb | 0.4 kg | 12 | 9.00 |
| THP220DSPOP | Dishwasher Safe Pocket Thermometer POP display | 0-220F | 2F | 5" | 3.7 lb | 1.7 kg | 4 | 7.00 |
| THP550DS | Dishwasher Safe Pocket Thermometer | 50-550F | 5F | 5" | 0.9 lb | 0.4 kg | 12 | 9.00 |

Equipment Monitoring Thermometer

Keep food safe by properly monitoring equipment.

- Hangs or stands for easy installation
- HACCP safe zones
- Large easy-to-read dial
- Stainless steel
- NSF approved



THR80P



THW180



THG600



| No. | Description | Temperature Range | Degree Increments | Stem Length | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|---------|---------------------------------------|-------------------|-------------------|-------------|------------------|--------------------|------|-----------------------|
| THR80P | Refrigerator/Freezer (non-carded) | -20-120F, -30-50C | 2F, 1C | N/A | 0.8 lb | 0.3 kg | 12 | 2.60 |
| THR80C | Refrigerator/Freezer (carded blister) | -20-120F, -30-50C | 2F, 1C | N/A | 0.8 lb | 0.3 kg | 12 | 2.80 |
| THW180 | Warming/Proofing | 100-180F | 2F | N/A | 1.6 lb | 0.7 kg | 12 | 6.80 |
| COT550C | Oven | 60-580F, 20-300C | 10F, 10C | N/A | 3 lb | 1.4 kg | 12 | 5.40 |
| R80DC | Refrigerator/Freezer | -20-80F, -30-30 | 2F, 1C | N/A | 1.6 lb | 0.7 kg | 12 | 7.20 |
| R80GC | Refrigerator/Freezer | -40-80F, -30-30C | 2F, 1C | N/A | 1.3 lb | 0.6 kg | 12 | 6.00 |
| THG600 | Grill | 100-600F, 50-300C | 10F, 10C | N/A | 1.6 lb | 0.7 kg | 12 | 13.60 |
| THO550 | Oven | 60-580F, 20-300C | 10F, 10C | N/A | 1.6 lb | 0.7 kg | 12 | 7.40 |

Food Preparation Thermometers

Improve taste and safety with food preparation thermometers.

- Dishwasher safe (FGTHB212DS, FGTHM200DS, FGTHC400DS)
- HACCP zones
- Built-in sheath calibration tool
- Dual read Fahrenheit and Celsius
- Stainless steel



THM200DS



CC400DC



| No. | Description | Temperature Range | Degree Increments | Stem Length | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|------------|---|-------------------------|-------------------|-------------|------------------|--------------------|------|-----------------------|
| THM200DS | Dishwasher Safe Meat Thermometer, 2 1/2" dial | 120 to 212F, 50 to 100C | 2F, 1 C | 4 3/4" | 3 lb | 1.4 kg | 12 | 12.60 |
| THC400DS | Dishwasher Safe Candy Thermometer | 100 to 400F, 30 to 220C | 5F, 2C | 5 1/4" | 3.3 lb | 1.5 kg | 12 | 12.60 |
| CC400DC | Candy | 100-400F, 30 to 220C | 5F, 5 C | 6" | 3.3 lb | 1.5 kg | 12 | 10.80 |
| CM200C | Meat | 0-200F | 2 F | 4 3/4" | 4 lb | 1.8 kg | 12 | 8.00 |
| THB212DS | Dishwasher Safe Café Thermometer | 120-212F, 50-100C | 2F, 1C | 7" | 3.3 lb | 1.5 kg | 12 | 16.00 |
| THB272DSP* | Dishwasher Safe Meat Thermometer, 1 1/2" dial | 120 to 212F, 50 to 100C | 2F, 1 C | 4 3/4" | 3 lb | 1.4 kg | 12 | 12.40 |

* Available March 2008

Timers

MULTI-FUNCTION TIMER

- Four independent timing cycles with loud, distinct alarms for multi-tasking
- Reverse timer after alarm
- Oil and water resistant
- Last entry recall
- One second increments for up/down count modes
- Angled keypad for easy one-handed operation



DT24

DIGITAL TIMER

- Start/stop feature
- Alarm bell
- Fold-out magnetic stand



R4411



R4421

MECHANICAL TIMER

- Easy to operate
- No batteries required
- Loud alarm bell



MT60F

| No. | Description | Increments | Timing Capacity | U.S. Ship Wt/Ctn | Metric Ship Wt/Ctn | Pack | U.S. List Price (Ea.) |
|-------|--------------------------|------------|-----------------|------------------|--------------------|------|-----------------------|
| DT24 | 4 Function Digital Timer | 1 sec | 24 hour | 3.4 lb | 1.5 kg | 6 | 70.00 |
| R4411 | Digital Timer | 1 min | 20 hour | 1.7 lb | 0.8 kg | 12 | 16.00 |
| R4421 | Digital Timer | 1 sec | 24 hour | 2 lb | 0.9 kg | 12 | 24.00 |
| MT60F | Mechanical Timer | 1 min | 60 minute | 2 lb | 0.9 kg | 6 | 13.00 |